OOH DIGITAL ADVERTISING & WAYFINDING





OUT OF HOME DIGITAL ADVERTISING & WAYFINDING



OUT OF HOME DIGITAL ADVERTISING & WAYFINDING

VuePix Infiled is the market leader in Digital Signage Displays & Commercial Digital Technology.


We offer an extensive range of high quality LED displays, LCD kiosks, advanced software systems and customised digital visual solutions.

Purposely designed for retail & commercial applications, our state of the art, seamless digital displays are perfectly suited for installations in any location or application in prime viewing position of your customers or high density foot traffic, such as shopping malls, airports, corporate environments, traffic hubs, etc.

Our experienced team is constantly working to ensure each client receives the highest quality, most reliable, cost-effective and complete digital display systems to fit their vision. VuePix Infiled enables you to customise digital display systems to your own specifications and requirements.

- Cutting edge technology
- Fully customised solutions
- Your choice of size, orientation & resolution
- Single or double-sided displays
- Purpose built for indoor or outdoor applications
- Bespoke mounting solutions or free standing displays
- ▶ Real time content management
- Custom exterior styling









KIOSKS & SIGNAGE SYSTEMS

VuePix Infiled LCD displays offer a wide range of high resolution all in one digital signage solutions.

The sleek prefabricated enclosures are a perfect fit for any busy hubs where displaying high resolution information and crisp visuals is essential.

Our LCD displays offer exceptional versatility by incorporating screen sizes from 32" up to 85" with an ultra-high native resolution up to 4K.

All VuePix Infiled LCD units come standard with non-reflective glass, hard wearing, heat fused powder coated metal enclosures and in a wide range of colour finishes.

The displays are equipped with a light sensor that detects the ambient light to optimise screen brightness.

Built for 24/7 operation in areas exposed to impact from high density foot traffic, our LCD display systems provide exceptional reliability in an attractive form factor.

Thermally toughened glass protects the screens internal components and adds an extra layer of security against external elements. The advanced temperature management system regulates and protects the LCD screen within.


Each enclosure incorporates discrete hinged access for ease of service ensuring the most stringent uptime commitments can be achieved.

Camera systems can be fitted within the display for monitoring real time analytics.

VuePix Infiled LCD displays can be custom designed to suit almost any specific technical or aesthetic requirements.

- Display size 32" 85"
- Ultra-high brightness
- Anti-reflective glass
- Built for 24/7 operation

- Single or double sided
- Freestanding, suspended or wall mounted
- Indoor or outdoor solutions
- Custom exterior styling







SUSPENDED DISPLAYS

Single & Double Sided







Single Landscape

Dual Portrait

Landscape	Display Size	42"	42" Dual	55"	55" Dual	65"	65" Dual		
	Display Area (mm)	943x531	1886x531	1210x680	2420x680	1428x803	2856x803		
Land	Resolution (px)	1920x1080 (each panel)			3840x2160	(each panel)			
Portrait —	Display Area (mm)	531x943 1062x943 680x1210		1360x1210	803x1428	1606x1428			
Panel	Resolution (px)	1080x1920 (each panel) 2160x3840 (each panel)							
Panel	Frame	Powder Coated Steel Frame / Heat Treated Glass / Custom Colours and Finishes Avaiable							
	Brightness (nits)		700-1000						
	Colour		1.06 Billion			1.073 Billion			
	Viewing Angle			17	78°				
	Contrast Ratio			400	00:1				
AV Inputs	Video			HDM	I, USB				
Inputs	Power Consump- tion (W)	≤ 800				≤ 1000			
•	Input Voltage	AC110~240V (50Hz~60Hz)							
Mechanical	Unit Size (LxWxH)	1020x610×350	2005×610×350	1280x750x350	2500x750x350	1500x875xx350	2985x875x350		
	Operating Temperature:	-20°~ +60°							
Environmental	Operating Humid- ity:	10% - 80%							
	Storage Humidity:	5% - 90%							
	Enclosure Protec- tion	IP30							
Internal Media Player	Operating System	Customisable							
Accessories	Included	AC Power Cable, Remote Control							
	Optional	Touch Screen Upgrade, Network Upgrade, Camera, Speakers, Dynamic Cooling System, Automatic Brightness Sensor							



WALL MOUNT DISPLAYS





Single Portrait

MAIN FEATURES

- ► Superior brightness up to 3,000 nits
- 4K resolution
- ▶ 9:16 (portrait), 16:9 (landscape) ratio
- 24/7 rated
- Built for outdoors
- Waterproof and rustproof

CUSTOMISABLE FEATURES

- ► Touch Screen upgrade
- In Built Camera
- Automatic brightness sensors

SIZES AVAILABLE

42", 43", 49", 55", 65", 75", 86'

	1					1			
Panel	Display Size	42"		55"	65"	75″			
	Resolution (px)	1080x1920 2160x3840 (por (each panel)) (portrait), 3840x2160 (la	ortrait), 3840x2160 (landscape)			
	Frame	Powder Coated Steel Frame / Heat Treated Glass / Custom Colours and Finishes Avaiable							
	Display Area (mm)	531x943		80x1210	803x1428	900x1600			
	Brightness (nits)	700-3000							
	Colour	1.06 Billion			1.073 Billion				
	Viewing Angle		178°						
	Contrast Ratio		4000:1						
AV Inputs	Video	2x HDMI, Customisable to suit the client							
Inputs	Power Consumption (W)	≤ 800		≤ 1000					
-	Input Voltage	AC110~240V (50Hz~60Hz)							
Mechanical	Unit Size (LxWxH)	610×1020×200 75		x1280x200	875x1500x200	980x1700x220			
	Operating Temperature:	-20°~ +60°							
Environmental	Operating Humid- ity:	10% - 80%							
	Storage Humidity:	5% - 90%							
	Enclosure Protec- tion	IP30 / IP65							
Internal Media Player	Operating System	Customisable							
	Included	AC Power Cable, Remote Control							
Accessories	Optional	Touch Screen Upgrade, Network Upgrade, In-built Camera, Speakers, Dynamic Cooling System, Automatic Brightness Sensor							



BATTERY POWERED KIOSKS Single Sided





	Display Size	32"	42"	55"			
	Resolution (px)	1080x1920					
	Frame	Powder Coated Steel Frame / Heat Treated Glass / Custom Colours and Finishes Avaiable					
	Display Area (mm)	500 x 643	680 x 1210				
Panel	Aspect Ratio	9:16					
	Brightness (nits)	300cd / m ²					
	Colour	1.06 Billion	1.073 Billion				
	Viewing Angle	178°					
	Contrast Ratio		5000:1				
AV Inputs	Video		HDMI, USB				
Inputs	Power Consump- tion (W)	≤ 800					
-	Input Voltage	AC110~240V (50Hz~60Hz)					
Mechanical	Unit Size (LxWxH)	570×1500×120 605×1600×120		755×1850×120			
Mechanicai	Net Weight (kg)	65 75		85			
	Operating Temperature:	0°~ +40°					
Environmental	Operating Humid- ity:	10% - 80%					
	Storage Humidity:	10% - 90%					
Internal Media Player	Operating System	Customisable					
	Included	AC Power Cable, Remote Control					
Accessories	Optional	Touch Screen Upgrade, Network Upgrade, Camera, Speakers, Dynamic Cooling System, Automatic Brightness Sensor					



浙

PORTABLE DIGITAL A BOARD

43 Inch Outdoor Battery Powered





	Display Size	43"			
	Resolution (px)	1080x1920			
	Frame	Powder Coated Steel Frame / Heat Treated Glass / Custom Colours and Finishes Avaiable			
	Display Area (mm)	940.896 x 529.254			
Panel	Aspect Ratio	9:16			
	Brightness (nits)	400-1500 cd / m ²			
	Colour	16.7 Million			
	Viewing Angle	178°			
	Contrast Ratio	4000:1			
AV Inputs	Video	HDMI, USB			
	Battery	Polymer lithium			
	Capacity	4300mAh			
Battery	Voltage / Power	25.2V / 28W-110W			
	Charging	7-8 Hours			
	Duration	Indoor 30 Hours (400nits-450 nits) / Outdoor 8 Hours (1000nits-1500 nits)			
	Unit Size (LxWxH)	1235.1×1595×151.3			
Mechanical	Net Weight (kg)	41.67kg			
	Operating Temperature:	20°~ 50°			
Environmental	Operating Humidity:	10% - 80%			
	Storage Humidity:	5% - 95%			
	Media	Video MPG, AVI, MP4, RM, RMVB, TS, Audio MP3, WMA, Image(JPG, GIF, BMP,PNG			
	Output	1080x1920			
	CPU / RAM / ROM	RK3288 / 2GB / 16GB			
System	USB	USB2.0 HOST (x2)			
	Wi-Fi	802.1 1b/g/n			
	System	Android 7.1 (Android 11 is optional)			
	Soeaker	8º 2M x2			
Accessories	Included	Remote, Manual, Power adapter			



DIGITAL WINDOW DISPLAYS Single-Sided





Panel Specifications								
Panel Size	32″	32" 43" 49"		55″	65"	75″		
Display Area (mm)	698.4×392.8	941.18×529.42	1073.78×604	1209.6×680.4	1428.5×803.5	1649.7×927.9		
Contrast ratio	4000:1							
Resolution	Full HD 1920*1080 UHD 3840*2160							
Brightness	2500 nits High TNI 3000 nits optional							
Colour		16.7M						
Viewing Angle		178°						
LED Backlight		Yes						
Response Time		8ms						
Life	50000(hrs)							
operation time	7*24Hrs							
Video		HDMI, USB						
Display mode		Vertical/Horizontal						
Installation method		Wall mount/ Ceiling mount/ Floor standing						
Operating System			And	droid				
CPU		Android RK3288 / RK3399						
Memory		2GB / 4GB						
Nand flash	16GB / 32GB							
Storage port	USB, SD card							
OS	Android 7.1, Android 11							
WiFi	Yes, inbuild WiFi802.11b/g/n); 4G/GPS/Bluetooth(optional)							
Optional	Windows (i3, i5, i7)							



DIGITAL WINDOW DISPLAYS Double-Sided





Panel Specifications						
Panel Size	49" 55"					
Display Area (mm)	1073.78×604	1210×680				
Contrast ratio	400	00:1				
Resolution	1920)*1080				
Brightness	2500nits+700nits(300	00nits+700nits option)				
Viewing Angle	17	78°				
LED Backlight	Y	es				
Response Time	81	ms				
Life	50000(hrs)					
operation time	7*24Hrs					
Video	HDMI, USB					
Display mode	Vertical					
Installation method	Ceiling Method					
Operating System	Android					
CPU	Android RK3288 / RK3399					
Memory	2GB / 4GB					
Nand flash	16GB / 32GB					
Storage port	USB, SD card					
OS	Android 7.1, Android 11					
WiFi	Yes, inbuild WiFi802.11b/g/n); 4G/GPS/Bluetooth(optional)					
Optional	Windows (i3, i5, i7)					



TOUCH SCREEN KIOSKS

0



SMART TOUCH SCREEN KIOSK

- ▶ Panel Size :32" 86"
- ► Touch: IR touch /Capacitive touch
- ► Brightness: 450nits

- ► Resolution : 2160x3840
- ► Viewing angle: 178 °
- Contrast ratio : 4000:1
- Backlight life : 5000hours
- Color :16.7M
- Input Voltage: 100V-240V, 50/60HZ

Smart Multifunctional Touch Kiosk

Using a professional industrial LCD screen, the Touch Kiosk integrates computer, Internet, audio, multimedia technology and industrial plastic arts. In general, the video image is clearer, more natural and delicate and the visual impact is much stronger.



Sleek, Professional Design

Floor standing kiosks are gradually being used in all aspects of people's lives, study and work.

The standing touch screen has been widely used due to its high cost performance, customer design, and strong environmental adaptability.



Floor Standing LCD Touch Totem

The Touch Totem supports 24/7 functionality. The life expectancy can reach more than 50000 hours. Making this a particularly excellent product in terms of customer assistance, with uninterrupted service. The touch screen can also be conveniently placed at any location.





9

FREE STANDING KIOSKS Single & Double Sided / Indoor Outdoor



di fiore.

i

Informat

~

i



(((aan and))))



MAIN FEATURES

- Superior brightness up to 3,000 nits
- 4K resolution
- ► Single or double sided
- 9:16 (portrait) aspect ratio
- 24/7 rated
- Built for outdoors
- Waterproof and rustproof

CUSTOMISABLE FEATURES

- ► Touch Screen upgrade
- ► In Built Camera
- Automatic brightness sensors

SIZES AVAILABLE


42", 43", 49", 55", 65", 86", 98"

	1								
Panel	Display Size	32"	42"	55"	65"	75″	85"		
	Resolution (px)	1080	x1920		2160x3840				
	Frame	Powder Coated Steel Frame / Heat Treated Glass / Custom Colours and Finishes Avaiable							
	Display Area (mm)	643 ×500 943 × 531		1210×680	1428×803	1600×900	1860×1046		
	Aspect Ratio				9:16		<u> </u>		
	Brightness (nits)		700-1000 (Indoor Model) / 3000 (Outdoor Model)						
	Colour		1.06 Billion			1.073 Billion			
	Viewing Angle				178°				
	Contrast Ratio			4	000:1				
AV Inputs	Video	HDMI, USB							
Inputs	Power Consump- tion (W)	≤ 800			≤ 1000				
•	Input Voltage		AC110~240V (50Hz~60Hz)						
	Unit Size (LxWxH)	600×180×1700	800×232×1800	904×272×1940	1000×390×1980	1246×256×2350	1248×380×2057		
Mechanical	Net Weight (kg)	120	140	160	205	250	290		
	Operating Temperature:	-20°~ +60°							
Environmental	Operating Humid- ity:	10% - 80%							
	Storage Humidity:	5% - 90%							
	Enclosure Protec- tion	IP30 / IP65							
Internal Media Player	Operating System	Customisable							
Accessories	Included	AC Power Cable, Remote Control							
	Optional	Touch Screen Upgrade, Network Upgrade, Camera, Speakers, Dynamic Cooling System, Automatic Brightness Sensor							

LED MEDIA WALL DISPLAYS / WAYFINDING SYSTEMS

Size is no limitation with VuePix Infiled LED display solutions. We offer endless possibilities to perfectly suit your application and deliver a turnkey solution as a standout addition to any space.












LED CREATIVE & BESPOKE MEDIA DISPLAYS

Our experienced team of designers & engineers will work with you to specify, design & build your bespoke LED digital solution specifically for your unique application.

Our range of creative displays represents the next level in LED usability and interaction technology - from high transparency displays, designer displays of irregular shapes, soft flexible modules for creative installations with no limitations, to interactive media displays with in-built motion sensors allowing responsive content to be shown.

From the iconic Australian Open digital logo through to the bespoke super-sized signage for Warner Bros. theme parks, our VuePix Infiled team have delivered some of the most innovative and unique custom built LED displays worldwide.









REDEFINING TECHNOLOGY IN EVERY PIXEL

Contact our VuePix Infiled experts to discuss your next project AUS: 1800 883 749 NZ: 09 218 6532 INT: +61 7 5509 4633 I info@vuepix.com I www.vuepix.com

