


REDEFINING TECHNOLOGY IN EVERY PIXEL


VUEPIX
INFILED



RENTAL & TOURING SYSTEMS

vuepix.com

AMT SERIES



SPECIFICATIONS

Pixel Pitch (mm): Solid 5.9 / Mesh 8.3
Brightness (nits): up to 5,000
Cabinet Size (mm): 1000W x 1000H

- Outstanding transparency of 70% for mesh panels
- Lightweight & durable structure
- Convex & concave curving options



Light



Transparent



Curve



Robust

SPECIFICATIONS



Light



Curve



Thin



Scan Me

Pixel Pitch (mm): 2.9 / 3.9 / 4.6 / 5.9 / 6.9 / 7.8 / 10.4
Brightness (nits): up to 5,000
Cabinet Size (mm): 500W x 1000H, 500W x 500H

- Ultra thin & lightweight
- Redefined curving system
- Precise calibration
- Wide range of accessories



AR2 SERIES

ART SERIES



SPECIFICATIONS

Pixel Pitch (mm): 3.9 / 4.6 / 5.9 / 7.8 / 10.4
Brightness (nits): up to 5,000
Cabinet Size (mm): 500W x 1000H

- Durable with efficient transportation system
- Built-in wind load reinforcement
- Fast installation
- In-built curving system $\pm 10^\circ$



Bright



Curve



Scan Me



Robust

SPECIFICATIONS



Robust



Transparent



Curve



Scan Me

Pixel Pitch (mm): Solid 3.9 / 4.6 / Mesh 7.8
Brightness (nits): up to 5,000
Cabinet Size (mm): 1000W x 1000H

- Interchangeable modules - solid & mesh
- Ingenious stackable dollies design
- Precise alignment
- Reaching heights up to 26m when suspended



BLACK WIDOW

DB2 SERIES



SPECIFICATIONS

Pixel Pitch (mm): 1.5 / 1.9 / 2.6
Brightness (nits): up to 1,500
Cabinet Size (mm): 500W x 500H

- Deep black design
- Redefined curving system
- Superb performance for camera
- Cold LED technology



Broadcast



Curve



Scan Me



Eco

EZ2 SERIES



SPECIFICATIONS

Pixel Pitch (mm): 1.5 / 1.9 / 2.6
Brightness (nits): up to 1,200
Cabinet Size (mm): 500W x 500H

- Ultra-light magnesium alloy cabinet
- Optimised thermal control
- Pre-lock structure and positioning columns



Light



Curve



Eco



Robust

SPECIFICATIONS



Light



Curve



Eco



Scan Me


Pixel Pitch (mm): 1.9/ 2.5 /2.9 / 3.9 / 4.6 / 4.8 / 5.9 / 6.9
Brightness (nits): up to 5,000
Cabinet Size (mm): 500W x 1000H, 500W x 500H

- Inbuilt curving $\pm 10^\circ$
- Flexible installation options
- Enhanced corner protection
- Front and rear service options



GX2 SERIES

HL SERIES



SPECIFICATIONS

Pixel Pitch (mm): 3.9 / 7.8
Brightness (nits): up to 4,500
Cabinet Size (mm): 1000Wx 500H

- Lightweight and transparent
- Inbuilt curving $\pm 15^\circ$
- Flexible installation options
- Designed for outdoor use



Light



Transparent



Outdoor



Bright

SPECIFICATIONS



Robust



Broadcast



Creative



Scan Me

Pixel Pitch (mm): 1.5 / 1.9 / 2.6
Brightness (nits): up to 1,500
Cabinet Size (mm): 500W x 500H

- Adaptable frame across multiple series
- Flat, 90° angle & cubes
- ArmourLED Technology
- Colour & Brightness Shift Free (CBSF) technology



MC SERIES

NX SERIES



SPECIFICATIONS

Pixel Pitch (mm): 1.9 / 2.5 / 2.9 / 3.9
Brightness (nits): up to 5000
Cabinet Size (mm): 500W x 1000H

- Stacking and hanging capacity
- Dual-layer magnesium-alloy structure
- Creative offset build
- Support accessories for demanding sites



Bright



Curve



Light



Versatile

RS SERIES



SPECIFICATIONS

Pixel Pitch (mm): 2.5 / 3.9
 Brightness (nits): up to 5,000
 Cabinet Size (mm): 500W x 1000H

- Ultra lightweight panels
- Delivering outstanding visuals
- High refresh rate and contrast ratio
- Rapid deployment



Light



Bright



Scan Me



Broadcast

SPECIFICATIONS



Bright



Robust



Outdoor



Scan Me


Pixel Pitch (mm): 6 / 10
 Brightness (nits): up to 6,000
 Cabinet Size (mm): 1600W x 956H

- Perfect operation stability
- Fail safe components & flawless operation
- Automatic colour calibration system
- Independent RCD protection



SP SERIES

X3 SERIES



SPECIFICATIONS

Pixel Pitch (mm): 1.9 / 2.6 / 2.9 / 3.9
 Brightness (nits): up to 2,000
 Cabinet Size (mm): 500W x 500H

- Advanced curving system $\pm 45^\circ$
- Flat, arc, wave & creative configuration
- Wide viewing angles
- Quick lock system & easy alignment



Light



Curve



Thin



Creative

VUEPIX
INFILED

Contact our VuePix Infiled experts to discuss your next project

AUS: 1800 883 749 | NZ: 09 218 6532 | INT: +61 7 5509 4633 | info@vuepix.com | vuepix.com

REDEFINING TECHNOLOGY IN EVERY PIXEL

At VuePix Infiled, innovation never stands still. As we continuously refine and enhance our products, specifications, features and designs may change without prior notice. Images are for illustrative purposes only and may differ from the final product. Although every effort has been made to ensure the accuracy of this publication, VuePix Infiled accepts no liability for any errors or omissions, or for any loss or damage resulting from reliance on the information contained herein. August 2026.